





MELSEC iQ-R System Recorder Use Case



A screenshot of the MELSEC iQ-R software showing a data table. The table has columns for 'Time', 'Status', and 'Error Code'. The data is organized into a grid with multiple rows and columns. The interface includes a menu bar with options like 'File', 'View', 'Data', and 'Help'. A status bar at the bottom shows 'Data Table: Setting the L. No. 1'.



GLOBAL IMPACT OF MITSUBISHI ELECTRIC



Through Mitsubishi Electric's vision, "Changes for the Better" are possible for a brighter future.

Changes for the Better

"Changes for the Better" represents the Mitsubishi Electric Group's attitude to "always strive to achieve something better", as we continue to change and grow. Each one of us shares a strong will and passion to continuously aim for change, reinforcing our commitment to creating "an even better tomorrow".

Mitsubishi Electric is involved in many areas including the following:

Energy and Electric Systems

A wide range of power and electrical products from generators to large-scale displays.

Electronic Devices

A wide portfolio of cutting-edge semiconductor devices for systems and products.

Home Appliance

Dependable consumer products like air conditioners and home entertainment systems.

Information and Communication Systems

Commercial and consumer-centric equipment, products and systems.

Industrial Automation Systems

Maximizing productivity and efficiency with cutting-edge automation technology.

Our advances in AI and IoT are adding new value to society in diverse areas from automation to information systems. The creation of game-changing solutions is helping to transform the world, which is why we are honored to be recognized in the 2019 "Forbes Digital 100" as one of world's most influential digital corporations.




Record the entire operating status of the system and perform simple analysis

The system recorder is a maintenance solution that "records the entire operating state of the system" when an error occurs, and allows "simple analysis" to significantly reduce downtime.


System configuration image

For the camera recorder module



¹ Not necessary because the device operation data can be saved in a SD memory card of the camera recorder module.
² It is possible to check the live video of the network camera and adjust PTZ.

For the recorder module



Troubleshooting cases utilizing the system recorder


Case 1 Monitoring of entire line



Defective products were detected during inspection, but it is not clear which process is the cause.

Page.6 ▶


Case 2 Identification of abnormal areas



Abnormalities occur at multiple locations irregularly, making it impossible to identify the abnormal areas.

Page.7 ▶

Case 3 Workpiece drop due to a suction error



An error occurred in a workpiece transportation device using a suction mechanism, but the error cause cannot be identified.

Page.8 ▶

Case 4 Printing failure



A QR code printing failure was detected, but the cause cannot be identified.

Page.9 ▶


Case 5 Chuck error



Although the video was checked for identifying the cause, the conditions of the auto switches were still unclear.

Page.10 ▶

Case 6 Human error (Incorrect product type)




It is desirable to correctly understand the details of the erroneous operation for future guidance and consideration of improvement.

Page.11 ▶

Case 7

Handling troubles from a remote place




It is desirable to correctly understand the situation and cause of the trouble without visiting the site.

Page.12 

Case 8

Trouble analysis using past data




An attempt to check the condition when the error occurred failed since the project has been overwritten.

Page.13 

Case 9

Analyzing servo troubles together



Although the sensor has detected a drop of a workpiece, no workpiece has dropped and the cause of the error cannot be determined.

Page.14 

Function introduction

Page.15, 16 

System recorder-related products

Page.17 

1 Defects are detected in the inspection process of the product line.

Packing Inspection

2 Defects occur even after adjusting the part that seems to be the problem.


Printing

3 There may be the factors somewhere in the previous process, but it cannot be identified.

Lamination Cutting

It is desirable to identify the cause in multiple processes...

Cause identification with the system recorder!



1 With a camera recorder module, multiple network cameras can be connected to a single programmable controller.



GX Works3

Camera No.	IP Address	Camera Comment
1	192.168.3.50	ONVIF supported network camera 1
2	192.168.3.51	ONVIF supported network camera 2
3	192.168.3.52	ONVIF supported network camera 3
4	192.168.3.59	ONVIF supported network camera 4

2 It conforms to the network standard ONVIF Profile S, and can be connected to a wide variety of cameras.



ONVIF supported network camera (PTZ supported)




ONVIF supported network camera


3 Acquire video and log data of the entire process, and use various tools to check and analyze the data against the video at once to identify the cause.




GX VideoViewer



GX LogViewer



GX Works3



Monitoring of the entire production line with multiple cameras helps to determine the cause among multiple factors!

Case 2


Identification of abnormal areas

Camera recorder module

Recorder module


1

A short time breakdown occurs frequently in the assembly process using robots!




2

Abnormalities occur at multiple locations irregularly, making it impossible to identify the abnormal areas.




3

It is necessary to stop the machine and conduct a full inspection to determine the cause.




It is desirable to identify the error cause without stopping the machine...

Cause identification with the system recorder!




1

Move the camera and zoom in the area that seems to be the cause with **the pan-tilt-zoom (PTZ) function** of the camera recorder module.



2

The recording status can be changed for each process by using the GOT operation screen and PTZ control commands from the programmable controller.



PTZ operation

Preset execution enables instantaneous switching to a preset recording position.

The camera adjustment function (PTZ) of ONVIF supported network cameras enables identification of the cause with the machine in operation!


Case 3

Workpiece drop due to a suction error


Camera recorder module

Recorder module


1 An error occurred in a workpiece transportation device using a suction mechanism!



2 Although the device was checked, the workpiece was not mounted in the specified position, and no visible error was shown.




3 No one knows the condition of the device at the error occurrence since there is usually no operator around the device.



The cause of the device error cannot be identified...

Cause identification with the system recorder!


Log marker function
Page 12



1 Checking the recorded video before the issue occurred has shown the moment that the workpiece was dropped from the suction part. Mark the corresponding position on the seek bar with the **log marker function**.




GX VideoViewer



2 Checking the data around the marked time has shown that the vacuum pressure decreased before the "suction OFF" command was turned on.



GX LogViewer



Although the vacuum pressure error occurred in the suction part, the cause could not be identified since the dropped workpiece was **accidentally** mounted in the incorrect position without alignment.

The system recorder has determined that the cause was the vacuum pressure in the suction part!


Case 4

Printing failure


Camera recorder module

Recorder module



1 QR code printing with a laser marking device



2 A QR code printing failure was detected in the finishing process!




3 Possible causes are...
The workpiece was misaligned from the specified position.
A control failure occurred in the laser marker.

Passed	Failed
	

The cause of the printing failure cannot be identified...

Cause identification with the system recorder!


Offline monitoring
Page 12



1 Checking the workpiece on which the printing failure occurred by rewinding the video has shown that the workpiece was misaligned significantly from the specified position.




GX VideoViewer





2 The offline monitoring function has shown that there was no problem in transportation since the auto switches of the air chuck cylinder operated normally.



GX Works3



3 Rewinding the video further has determined that the chuck contacted with the workpiece when picking up the previous workpiece, which caused the workpiece to be significantly misaligned from the specified position.



The system recorder has determined that the cause of the printing failure was the workpiece misalignment!


1

An error occurred in the auto switches of the air chuck on edge of the robot.



2

Although all the auto switches were checked, they were ON in the normal states, and the error cause could not be identified.



3

Checking the video could not identify the cause since the conditions of the auto switches were not recorded.



Where the error has occurred in the device cannot be identified....

Cause identification with the system recorder!

Offline monitoring
Page 12


Data flow analysis function
Page 12

1

Check the item that can be an error cause by using the **data flow analysis function**.



GX Works3




2

When the operation at the error occurrence was reproduced by the **offline monitoring function**, an auto switch did not turn on, and an error occurred.



GX Works3




3


An auto switch turned on a few seconds after the error occurred. Checking the condition of the corresponding chuck in GX LogViewer has determined that the trigger of the auto switch was OFF (timed out) when the workpiece was gripped.




GX Works3



GX LogViewer



Adjust the ON position of the auto switch



It has been determined that the error can be avoided by finely adjusting the ON position of the auto switch attached to the chuck.

The system recorder has determined that the cause was the ON position of the auto switch!

Case 6

Human error (Incorrect product type)

Camera recorder module

Recorder module

1 An operator inputs the workpiece machining conditions.

2 An error was found in the finishing check!

3 It is desirable to correctly understand the details of the erroneous operation for future guidance and consideration of improvement.

It is desirable to correctly understand what the cause was...

Cause identification with the system recorder!

Offline monitoring
Page 12

Event history
Page 13




1

The operation before the error occurrence was checked in the **event history**.



GX Works3




2

The GOT **offline monitor function** was linked to the event history to reproduce the GOT operation.



GT Designer3



When the error actually occurred, reviewing the operation details to prevent recurrence and others were considered.

Changing manual input to barcode input

Reviewing the layout on the GOT screen



The cause can be identified with the system recorder, and the appropriate preventive measures against recurrence can be considered!

Case 7

Handling errors from a remote place

Camera recorder module

Recorder module

1

An error occurred on the site of another branch (overseas)!




2

The error occurred at the site location could not be correctly understood over the phone.




3

Since the cause cannot be identified without directly checking the hardware, traveling to the country costs time and money.



It is desirable to identify the cause without visiting the site...

Cause identification with the system recorder!



The system recorder can significantly reduce man-hours and costs for handling errors!

Case 8

Trouble analysis using past data


Camera recorder module

Recorder module


1 Failure (error) occurred!



2 Although an operator on the site modified the program to see how it works, the failure could not be corrected.




3 An attempt to check the condition when the error occurred failed since the project has been overwritten.




It is desirable to check the project when the error occurred...

Cause identification with the system recorder!




The system recorder allows users to review past project data to identify the cause of errors!


1 The sensor that detects the load during transportation turned on.



2 An alarm indicating that a drop of an object was detected has occurred.




3 When the site was checked, no workpiece has dropped and the sensors work properly.



It is desirable to analyze multiple data sets together to identify the cause...

Cause identification with the system recorder!


By displaying the logging data of both the recorder module and motion module in the same window, the relationship between the control data and axis data can be analyzed by matching the start time with **one click!**



1 By comparing the logging data of the current value of the servo amplifier with the data when the sensor is turned off using **the waveform superimposition function** of GX LogViewer, the disturbance of the current value data of the servo amplifier is confirmed.

2 The ball screw of the target axis was found to have a foreign object (metal powder, etc.) caught in it.

Data disturbance found!





LOG GX LogViewer

A foreign object found!



It has been determined that this trouble was caused by "a foreign object in the ball screw, which caused vibration during the transportation and temporarily shifted the workpiece from the sensor check position for workpiece detection."

OK  **NG** 

The system recorder has determined that the cause was deviation from the sensor check position for workpiece detection!

Function introduction




Log marker function

GX Works3

GX LogViewer

GX VideoViewer

- ✓ When an error occurs, log markers can be added to the recorded video as points of interest for analysis.
- ✓ Within the offline monitor function; by replaying the saved data from the recorder module, the status of devices can be reproduced at the time of the fault.
- ✓ Log markers can be shared among related parties even when they are at distant locations each other.



Log marker

GX VideoViewer




Offline monitoring

GX Works3

GX LogViewer

GT Designer3

- ✓ By replaying data saved in the recorder module using the offline monitor, the state at the time of the error can be reproduced in the engineering tool.
- ✓ You can check the circuit monitor (program transition) with GX Works3 and the waveform data with GX LogViewer. By moving the slider on the seek bar, the program, waveform data, and operation history can be synchronized and played.






Data flow analysis function

GX Works3

- ✓ A device flowchart is automatically created from the program of GX Works3, and the related data is visually displayed.
- ✓ Comments and instruction diagrams are also displayed in the flowchart.
- ✓ Double-clicking an item in the flowchart jumps to the window for the corresponding device/label.



Event operation history

GX Works3

- ✓ Since device/label operations from external devices can be recorded as the event history, "when, where, how, and which device/label has been changed" can be accurately understood.

Event History (PLC No. 1) Start (I/O No. 3E00)

Refresh(F5) Number of Events: 10 Refresh(F5)

Refine: Match All the Conditions (selected) / Match Any One of the Conditions

1. Event Type: Including Invert
2. Including Invert
3. Including Invert

Start Refine Clear Refine Conditions

No.	Occurrence Date	Event Type	Status	Event Code	Overview	Source	Start I/O No.
0006	2020/06/23 17:47:26.760	Operation	Success	H04031	Recording File Saving Completion	R02RC06	0080
0007	2020/06/23 17:47:26.239	Operation	Success	H04040	File Saving Trigger Establishment	R02RC06	0080
0008	2020/06/23 17:47:26.239	Operation	Success	H04040	Write Device in word unit(n-points)	R02RC06	0080
0009	2020/06/23 17:47:26.509	Operation	Success	H04031	Recording File Saving Completion	R02RC06	0080
0010	2020/06/23 17:47:13.146	Operation	Success	H04030	File Saving Trigger Establishment	R02RC06	0080
0011	2020/06/23 17:47:13.146	Operation	Success	H04040	Write Device in word unit(n-points)	R02RC06	0080
0012	2020/06/23 17:47:06.442	Operation	Success	H04020	Recording Operation Start	R02RC06	0080
0013	2020/06/23 17:47:06.399	Operation	Success	H04020	Recording Operation Start	R02RC06	0080

Legend: Major (Red triangle), Warning (Yellow triangle), Moderate (Green triangle), Minor (Blue triangle), Information (Blue circle)

Jump Clear All

Recording Operation Status Information

Setting No.: 13
Trigger Type: Device
Trigger No.: 13

Cause: Saving the recording files has been completed.

Connective Action

Create File... Close

Recording targets

- Operations from the engineering tool
- Data writing to device/label by SLMP
- Data writing to device with an instruction (Writing from another station or another CPU)
- Data writing to device by simple CPU communication (Writing from the communication target)

System recorder-related products

Camera recorder module - RD81RC96-CA Recorder module - RD81RC96



RD81RC96-CA/
RD81RC96

All the device/label data before and after an error has occurred is automatically sampled with timestamps per scan.

Motion module - RD78GH, RD78G Servo amplifier - MR-J5 series



MR-J5-G RD78G

At an error occurrence, information on all the actual driver axes is automatically sampled from the motion module and servo amplifier. The information based on the sampling results of the command and feedback values during the issue can be used for troubleshooting.

Camera recording package

When the recorder module is used, the camera recording package for instructing the network camera when to record video consists of function blocks (FBs) and a connection manual. It can be downloaded from the Mitsubishi Electric Factory Automation Global Website for free.

GX VideoViewer

The recorded video can be checked in GX VideoViewer or within a general-purpose video player software. GX VideoViewer is independent of the engineering tool. It can be downloaded from the Mitsubishi Electric Factory Automation Global Website for free.

GX Works3, GX LogViewer, GT Designer3

GX Works3 is a next-generation engineering software which contributes to reduction in development costs with its intuitive programming environment.

GX LogViewer is a dedicated viewer for displaying/analyzing the sampled logging files with simple operations.


GT Designer3 is screen design software for the Mitsubishi Electric Graphic Operation Terminal GOT2000 series.

For the specifications of each product, refer to the iQ Platform-compatible PAC System Recorder (L(NA)08736ENG) or Mitsubishi Electric Factory Automation Global Website.

MEMO

A series of horizontal dotted lines for writing, spanning the width of the page.

YOUR SOLUTION PARTNER



Mitsubishi Electric provides a wide range of FA products from FA devices, such as programmable controllers and AC servos, to industrial mechatronics products, such as CNC and electrical discharge machines.

To be the most trusted brand in production sites

Mitsubishi Electric expands a wide range of FA (Factory Automation) business from components to processing machines. We support production systems in various fields, trying to improve the productivity and quality. With a consistent system from development to manufacturing and quality control, we are sensitive to our customers' needs and strive to produce products with which our customers will be satisfied.

In addition, by making full use of Mitsubishi Electric's original global network around the world, we provide proven technologies and reassuring support. Mitsubishi Electric's FA business always proposes leading-edge FA solutions based on close communications with our customers to contribute to the world's manufacturing.



Low-voltage power distribution products



High-voltage power distribution products



Power monitoring products



Programmable controllers, industrial PCs, FA sensors



Drive products



Display devices (HMIs)



Computerized numerical controllers (CNCs)



Industrial robots



Processing machines



Transformers, solar power, EDS

Country/Region	Sales office	Tel/Fax
USA	MITSUBISHI ELECTRIC AUTOMATION, INC. 500 Corporate Woods Parkway, Vernon Hills, IL 60061, U.S.A.	Tel : +1-847-478-2100 Fax : +1-847-478-2253
Mexico	MITSUBISHI ELECTRIC AUTOMATION, INC. Mexico Branch Boulevard Miguel de Cervantes Saavedra 301, Torre Norte Piso 5, Ampliacion Granada, Miguel Hidalgo, Ciudad de Mexico, Mexico, C.P.115200	Tel : +52-55-3067-7512
Brazil	MITSUBISHI ELECTRIC DO BRASIL COMERCIO E SERVICOS LTDA. Avenida Adelino Cardana, 293, 21 andar, Bethaville, Barueri SP, Brasil	Tel : +55-11-4689-3000 Fax : +55-11-4689-3016
Germany	MITSUBISHI ELECTRIC EUROPE B.V. German Branch Mitsubishi-Electric-Platz 1, 40882 Ratingen, Germany	Tel : +49-2102-486-0 Fax : +49-2102-486-7780
UK	MITSUBISHI ELECTRIC EUROPE B.V. UK Branch Travellers Lane, UK-Hatfield, Hertfordshire, AL10 8XB, U.K.	Tel : +44-1707-28-8780 Fax : +44-1707-27-8695
Ireland	MITSUBISHI ELECTRIC EUROPE B.V. Irish Branch Westgate Business Park, Ballymount, Dublin 24, Ireland	Tel : +353-1-4198800 Fax : +353-1-4198890
Italy	MITSUBISHI ELECTRIC EUROPE B.V. Italian Branch Centro Direzionale Colleoni - Palazzo Sirio, Viale Colleoni 7, 20864 Agrate Brianza (MB), Italy	Tel : +39-039-60531 Fax : +39-039-6053-312
Spain	MITSUBISHI ELECTRIC EUROPE, B.V. Spanish Branch Carretera de Rubi, 76-80-Apdo. 420, E-08190 Sant Cugat del Valles (Barcelona), Spain	Tel : +34-935-65-3131 Fax : +34-935-89-1579
France	MITSUBISHI ELECTRIC EUROPE B.V. French Branch 25, Boulevard des Bouvets, 92741 Nanterre Cedex, France	Tel : +33-1-55-68-55-68 Fax : +33-1-55-68-57-57
Czech Republic	MITSUBISHI ELECTRIC EUROPE B.V. Czech Branch, Prague Office Pekarska 621/7, 155 00 Praha 5, Czech Republic	Tel : +420-255-719-200
Poland	MITSUBISHI ELECTRIC EUROPE B.V. Polish Branch ul. Krakowska 48, 32-083 Balice, Poland	Tel : +48-12-347-65-00
Sweden	MITSUBISHI ELECTRIC EUROPE B.V. (Scandinavia) Hedvig Mollersgata 6, 223 55 Lund, Sweden	Tel : +46-8-625-10-00 Fax : +46-46-39-70-18
Russia	MITSUBISHI ELECTRIC (RUSSIA) LLC St. Petersburg Branch Piskarevsky pr. 2, bld 2, lit "Sch", BC "Benua", office 720; 195027 St. Petersburg, Russia	Tel : +7-812-633-3497 Fax : +7-812-633-3499
Turkey	MITSUBISHI ELECTRIC TURKEY A.S. Umraniye Branch Serifali Mah. Kale Sok. No:41 34775 Umraniye - Istanbul, Turkey	Tel : +90-216-969-2500 Fax : +90-216-661-4447
UAE	MITSUBISHI ELECTRIC EUROPE B.V. Dubai Branch Dubai Silicon Oasis, P.O.BOX 341241, Dubai, U.A.E.	Tel : +971-4-3724716 Fax : +971-4-3724721
South Africa	ADROIT TECHNOLOGIES 20 Waterford Office Park, 189 Witkoppen Road, Fourways, South Africa	Tel : +27-11-658-8100 Fax : +27-11-658-8101
China	MITSUBISHI ELECTRIC AUTOMATION (CHINA) LTD. Mitsubishi Electric Automation Center, No.1386 Hongqiao Road, Shanghai, China	Tel : +86-21-2322-3030 Fax : +86-21-2322-3000
Taiwan	SETSUYO ENTERPRISE CO., LTD. 6F, No.105, Wugong 3rd Road, Wugu District, New Taipei City 24889, Taiwan	Tel : +886-2-2299-2499 Fax : +886-2-2299-2509
Korea	MITSUBISHI ELECTRIC AUTOMATION KOREA CO., LTD. 7F to 9F, Gangseo Hangang Xi-tower A, 401, Yangcheon-ro, Gangseo-Gu, Seoul 07528, Korea	Tel : +82-2-3660-9569 Fax : +82-2-3664-8372
Singapore	MITSUBISHI ELECTRIC ASIA PTE. LTD. 307 Alexandra Road, Mitsubishi Electric Building, Singapore 159943	Tel : +65-6473-2308 Fax : +65-6476-7439
Thailand	MITSUBISHI ELECTRIC FACTORY AUTOMATION (THAILAND) CO., LTD. 12th Floor, SV.City Building, Office Tower 1, No. 896/19 and 20 Rama 3 Road, Kwaeng Bangpongpan, Khet Yannawa, Bangkok 10120, Thailand	Tel : +66-2682-6522-31 Fax : +66-2682-6020
Vietnam	MITSUBISHI ELECTRIC VIETNAM COMPANY LIMITED Unit 01-04, 10th Floor, Vincom Center, 72 Le Thanh Ton Street, District 1, Ho Chi Minh City, Vietnam	Tel : +84-28-3910-5945 Fax : +84-28-3910-5947
Indonesia	PT. MITSUBISHI ELECTRIC INDONESIA Gedung Jaya 8th Floor, JL. MH. Thamrin No.12, Jakarta Pusat 10340, Indonesia	Tel : +62-21-31926461 Fax : +62-21-31923942
India	MITSUBISHI ELECTRIC INDIA PVT. LTD. Pune Branch Emerald House, EL-3, J Block, M.I.D.C., Bhosari, Pune-411026, Maharashtra, India	Tel : +91-20-2710-2000 Fax : +91-20-2710-2100
Australia	MITSUBISHI ELECTRIC AUSTRALIA PTY. LTD. 348 Victoria Road, P.O. Box 11, Rydalmere, N.S.W 2116, Australia	Tel : +61-2-9684-7777 Fax : +61-2-9684-7245

MITSUBISHI ELECTRIC CORPORATION
HEAD OFFICE: TOKYO BLDG., 2-7-3, MARUNOUCHI, CHIYODA-KU, TOKYO 100-8310, JAPAN
www.MitsubishiElectric.com